

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation - CPR) this certificate applies to the construction product

Binderholz Brettsperrholz BBS

according to the product specification listed in the current addendum to this certificate placed on the market

Company

BINDERHOLZ BAUSYSTEME GMBH

Zillertalstraße 39

AT-6263 Fügen

and produced in the manufacturing plant

Binderholz Unternberg GmbH, Brettsperrholzwerk

AT-5585 Unternberg, Stranach 26

Binderholz Burgbernheim GmbH, Brettsperrholzwerk

DE-91593 Burgbernheim, Rothenburger Straße 46

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in

ETA-06/0009, issued on 02.06.2017

and

EAD 130005-00-0304

under system 1 for the performance set out in the ETA are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

CERTIFICATE OF CONSTANCY OF PERFORMANCE


Certificate number: 1359-CPR-0758

Date of first issue: 02.05.2018


Date of issuance: 02.05.2018

This certificate will remain valid as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

For the validity of this certificate see www.holzforschung.at.



Dipl.-Ing. (BA) Eugen Spitaler
Authorised signatory



Dr. Manfred Brandstätter
Head of the Certification Body

Addendum to certificate 1359-CPR-0758

Date of issue: 02.05.2018

Scope of certification for the following products:

Solid wood slabs to be used as structural elements in building

Binderholz Brettsperrholz BBS „System format“

Structure:	3 - 9 layers
Thickness:	54 - 350 mm
Width x length:	max. 1,25 x 24,0 m (with large finger joints)
Classes of utilisation:	1, 2
Wood species:	PCAB – spruce, ABAL – fir, PNSY - pine
Adhesives:	
- Finger joints:	Type I: PUR according to EN 15425
- Edge bonding:	Type I: PUR according to EN 15425 Type I: MUF according to EN 301
- Surface bonding:	Type I: PUR according to EN 15425
- Large finger joints:	Type I: PUR according to EN 15425

Binderholz Brettsperrholz BBS „Large format and Large format DQ“

Structure:	3 - 7 layers
Thickness:	51 - 315 mm
Width x length:	max. 3,5 x 22,0 m
Classes of utilisation:	1, 2
Wood species:	PCAB – spruce, ABAL – fir, PNSY - pine
Adhesives:	
- Finger joints:	Type I: PUR according to EN 15425
- Surface bonding:	Type I: PUR according to EN 15425